

Readout from Polimaster PM1704GN

12:19:20 AM	Gamma background	4 μ R/h
12:19:20 AM	Neutron background	0.02 cps
1:19:20 AM	Gamma background	4 μ R/h
1:19:20 AM	Neutron background	0.02 cps
2:19:20 AM	Gamma background	4 μ R/h
2:19:20 AM	Neutron background	0.02 cps
3:19:20 AM	Gamma background	4 μ R/h
3:19:20 AM	Neutron background	0.02 cps
4:19:20 AM	Gamma background	4 μ R/h
4:19:20 AM	Neutron background	0.02 cps
5:19:20 AM	Gamma background	4 μ R/h
5:19:20 AM	Neutron background	0.02 cps
6:19:20 AM	Gamma background	4 μ R/h
6:19:20 AM	Neutron background	0.02 cps
7:19:20 AM	Gamma background	5 μ R/h
7:19:20 AM	Neutron background	0.02 cps
7:46:20 AM	Neutron alarm	0.02 cps
8:19:20 AM	Gamma background	4 μ R/h
8:19:20 AM	Neutron background	0.02 cps
9:19:20 AM	Gamma background	4 μ R/h
9:19:20 AM	Neutron background	0.02 cps
10:17:58 AM	Neutron alarm	0.02 cps
10:19:20 AM	Gamma background	5 μ R/h
10:19:20 AM	Neutron background	0.02 cps
11:19:20 AM	Gamma background	4 μ R/h
11:19:20 AM	Neutron background	0.02 cps
11:47:20 AM	Neutron alarm	0.02 cps
12:19:20 PM	Gamma background	3 μ R/h
12:19:20 PM	Neutron background	0.02 cps
1:19:20 PM	Gamma background	3 μ R/h
1:19:20 PM	Neutron background	0.01 cps